Contraindications & Precautions to Routine Childhood Immunizations by Vaccine (1/00)

DTP/DTaP Hepatitis B Hib IPV MMR OPV Pneumococcal conjugate Varicella

LIVE VACCINES

EIVE VIICEINES

MMR

Anaphylactic reaction to a vaccine or any of its components (e.g., gelatin, neomycin)

Immunodeficiency – in recipient¹

Pregnancy – in recipient

Precautions: Moderate or severe acute illness

Recent administration of antibody-containing blood products² Thrombocytopenia/thromobocytopenic purpura(now or by history)

Varicella

Anaphylactic reaction to a vaccine or any of its components (e.g., gelatin, neomycin)

Immunodeficiency – in recipient¹

Pregnancy – in recipient

Precautions: Moderate or severe acute illness

Recent administration of antibody-containing blood products²

OPV

Anaphylactic reaction to a vaccine or any of its components Immunodeficiency due to any cause; HIV

in recipient

in household contact

Precautions: Moderate or severe acute illness

Pregnancy – in recipient

¹ Asymptomatic HIV infection is not a contraindication to MMR or varicella vaccines. Pure humoral immune deficiencies are not a contraindication to varicella vaccine.

INACTIVATED VACCINES

DTP/DTaP

Anaphylactic reaction to a vaccine or any of its components Encephalopathy within 7 days of a previous dose of DTP/DTaP

Precautions: Moderate or severe acute illness

Underlying unstable, evolving, neurologic disorder Any of these conditions within the specified time after a previous dose of DTP/DTaP:

- Fever of $\geq 40.5 \,^{\circ} \, C \, (105 \,^{\circ} \, F)$ unexplained by another cause...... within 48 hours
- Collapse or shocklike statewithin 48 hours
- Persistent, inconsolable crying lasting ≥ 3 hrs..... within 48 hours
- Seizure or convulsion......within 72 hours
- Guillain-Barré syndromewithin 6 weeks

Hep B

Anaphylactic reaction to a vaccine or any of its components (e.g., baker's yeast)

Precaution: Moderate or severe acute illness

Hib

Anaphylactic reaction to a vaccine or any of its components

Precaution: Moderate or severe acute illness

IPV

Anaphylactic reaction to a vaccine or any of its components (e.g., neomycin, streptomycin, polymyxin B)

Precautions: Moderate or severe acute illness
Pregnancy – in recipient

Pneumococcal conjugate

Anaphylactic reaction to a vaccine or any of its components (as of 1/00 additive lists were not available)

Precaution: Moderate or severe acute illness

² See the ACIP General recommendations, Table 8 for correct spacing.